



Global IDMP Working Group (GIDWG) Public Meeting

3 October 2025



Global IDMP Working Group

“Global IDMP – from dream to reality”



Opening Remarks

Panagiotis Telonis (EMA)
Co-chair

5th Global Identification Working Group (GIDWG) Public Stakeholders Meeting, European Medicines Agency, Amsterdam, 3 October 2025

GIDWG - PhPIDs for supporting Global use cases

Global IDs - Approaching Global Target Operating Models



Exchange information globally:

- **Exchanges:** will rely on ISO IDMP standards and HL7 FHIR messaging standards.
- **Substances:** according to regulatory frameworks, they will be identified/managed regionally (e.g. FDA, EMA, TFDA) and mapped globally by UMC.
- **Medicinal products:** according to regulatory frameworks, they will be managed regionally (e.g. EMA, FDA, TFDA) and provided to UMC.
- **PhPIDs – Will be managed by UMC.**

Source: Panagiotis Telonis, Isabel Chicharo, Julia Nyman, Magnus Wallberg, International data standardisation activities, I-Division all staff meeting, European Medicines Agency, 13 March 2024 (adapted)

5th GIDWG meeting – Counting down to Go-Live

- Lessons learned and alignment status?
- Global PhPID and GSID Service Go-live – what does this mean? how can you use it, what for?
- How do we envisage PhPID to be used in future – what are the use cases/opportunities/benefits?
- The future – our role in it?

Agenda

- IDMP use cases
- GIDWG and our journey
- Member Updates from EMA
- Closing Remarks

Our story: Emergency Care Abroad



Somchai is travelling to Norway for a ski vacation.

How to identify Somchai's meds?



ADRs are to be reported.

1




2

Somchai breaks his leg and arrives at the hospital.



3



4

Somchai must stay for a while in Oslo.



5

Somchai experiences a few ADRs.

6

Somchai needs to undergo surgery. HCPs know nothing about him but are pressed to start, so take the risk.

Local IDs

Local Medicinal Product ID 096.AAA
Package ID 096.AAA.101



Local Medicinal Product ID 277.BBB
Package ID 277.BBB.102



Local Medicinal Product ID 021.CCC
Package ID 021.CCC.103





Local Medicinal Product ID 301.DDD
Package ID 301.DDD.104




Pharmaceutical industry is 'global' but not all 'Identifiers' are global. The identification of medicinal products is a global problem that calls for a global solution.

ISO identification of medicinal products



The Pharmaceutical Product ID (PhPID) and its levels



ISO 11616:2017

Local and global IDs

Local Medicinal Product ID 096.AAA
Package ID 096.AAA.101



PhPID 5F82B6AE9059F28A19CC5C3D945358EE
GSID85RFP2XGF3X29

Local Medicinal Product ID 277.BBB
Package ID 277.BBB.102



PhPID5F82B6AE9059F28A19CC5C3D945358EE
GSID85RFP2XGF3X29

Local Medicinal Product ID 021.CCC
Package ID 021.CCC.103



PhPID5F82B6AE9059F28A19CC5C3D945358EE
GSID85RFP2XGF3X29

Local Medicinal Product ID 301.DDD
Package ID 301.DDD.104



PhPID5F82B6AE9059F28A19CC5C3D945358EE
GSID85RFP2XGF3X29

Pharmaceutical industry is 'global' but not all 'Identifiers' are global. The identification of medicinal products is a global problem that calls for a global solution.

Our Story: Cross-border Healthcare use case


On the horizon



Somchai is travelling to Norway for a ski vacation.



Somchai breaks his leg and arrives at the hospital.



DEXAMETHASONE SODIUM PHOSPHATE - A8AA58D0C21F3C8927CBD4B397980352

PhPID A8AA58D0C21F3C8927CBD4B397980352
Level 4
Linked PhPIDs:
Level 1: [BDA1509CA47A20E648284C4F2997486E](#)
Level 2: [BCC39A0A2B66D995E3446CD940ED8293](#)
Level 3: [0CE72EA15DF8386C6E462267F166FE26](#)

Administrable Dose Form

Basic Administrable Dose Form	Solution
Administration Methods	Instillation
Intended Sites	Ocular
Release Characteristics	Conventional

Substances

Substance Name	GSID	Strength	Reference Strength
DEXAMETHASONE SODIUM PHOSPHATE	GSID58DC4LXE56SB0	1 mg/mL	0.76 mg/mL

- Fast access to medical history
- Easy substitution of medicines



Somchai needs to stay for a while in Oslo, but it is not a problem since HCPs have all the necessary information.

HCPs have quick access to his full medical history and can begin surgery immediately.



ePrescription linked to PhPID



DEXAMETHASONE SODIUM PHOSPHATE - A8AA58D0C21F3C8927CBD4B397980352

PhPID	A8AA58D0C21F3C8927CBD4B397980352
Level	4
Linked PhPIDs:	Level 1: BDA1509CA47A20E648284C4F29974B6E Level 2: BCC39A0A2B66D995E3446CD940ED8293 Level 3: 0CE72EA15DF8386C6E462267F166FE26

Administrable Dose Form

Basic Administrable Dose Form	Solution
Administration Methods	Instillation
Intended Sites	Ocular
Release Characteristics	Conventional

Substances

Substance Name	GSID	Strength	Reference Strength
DEXAMETHASONE SODIUM PHOSPHATE	GSID58DC4LXE56SB0	1 mg/mL	0.76 mg/mL

Our Story: Codeine shortage

1 Not only Somchai is travelling to Norway for a ski vacation.



2 It is a busy ski season; Norwegian hospitals face a spike in injuries requiring surgery.



Normally, **codeine tablets** are the go-to option for post-surgical pain — effective and safer than stronger opioids. Unfortunately, they **are on shortage in Europe this year**.

Medicinal Product Name	Drug Code	Active Ingredient(s)	ATC derivatives	WHODrug MPID	Authorization Country	MAH	Dose Form ^①	Strength (Reference Strength)
Adorea	12857102385	Codeine phosphate;Paracetamol	N02AJ, Opioids in combination with non-opioid analgesics	5887276	Italy	Abiogen pharma	Tablet	500 mg;30 mg (22.6 mg)
Altermol	12857105019	Codeine phosphate;Paracetamol	N02AJ, Opioids in combination with non-opioid analgesics	3959295	Norway	Alternova	Tablet	500 mg;29.33 mg (22.1 mg)
Antolif	12857105104	Codeine phosphate;Paracetamol	N02AJ, Opioids in combination with non-opioid analgesics	5889413	Portugal	Neogen	Tablet	1-g;58.67-mg (44.2 mg)
Antolif	12857105104	Codeine phosphate;Paracetamol	N02AJ, Opioids in combination with non-opioid analgesics	5889424	Portugal	Neogen	Tablet	500 mg;29.33 mg (22.1 mg)
Aspaco	13605704003	Acetylsalicylic acid;Codeine phosphate;Paracetamol	N02AJ, Opioids in combination with non-opioid analgesics	3956441	Romania	Bioeel	Tablet	250 mg;300 mg;11.73 mg (8.84 mg)



Our story: Codeine shortage with PhPID


On the horizon



1 Not only Somchai is travelling to Norway for a ski vacation.



Many people seek medical care.



Somchai gets a substitute from US.

Medicinal Product Name	Drug Code	Active Ingredient(s)	ATC	WHODrug MPID	Authorization Country	MAH	Dose Form ①	Strength (Reference Strength)	PhPID	PhPID Level
Acetaminophen and codeine	12857102186	Codeine phosphate;Paracetamol	N02AJ, Opioids in combination with non-opioid analgesics	5611226	United States of America	RedPharm drug	Tablet	300 mg;30 mg (22.6 mg)	CDA56816C2B3B09CF8892BBF80344DA5	4
Acetaminophen and codeine	12857102186	Codeine phosphate;Paracetamol	N02AJ, Opioids in combination with non-opioid analgesics	4178056	United States of America	RxChange Co	Tablet	300 mg;30 mg (22.6 mg)	CDA56816C2B3B09CF8892BBF80344DA5	4
Acetaminophen and codeine	12857102186	Codeine phosphate;Paracetamol	N02AJ, Opioids in combination with non-opioid analgesics	5626675	United States of America	Aphena Pharma Solutions	Tablet	300 mg;30 mg (22.6 mg)	CDA56816C2B3B09CF8892BBF80344DA5	4
Acetaminophen and codeine phosphate	12857102133	Codeine phosphate;Paracetamol	N02AJ, Opioids in combination with non-opioid analgesics	5660912	United States of America	Strides pharma	Tab	300 mg;30 mg (22.6 mg)	CDA56816C2B3B09CF8892BBF80344DA5	4

Thanks to PhPID (Pharmaceutical Product Identifier), regulators and pharmaceutical companies can act quickly. Within minutes, they identify an equivalent product available in US and arrange for emergency import.

Our story: ADR to report and analyze




Somchai is travelling to Norway for a ski vacation.

1




2

Somchai breaks his leg.



3

Somchai needs to undergo surgery and stay for a while in Oslo.



ADR is to be reported.

6



Somchai experiences an ADR when given a **substitute** for his eye drops.

5




Since he doesn't have enough meds to cover the last 8 days before traveling home, he is prescribed substitutes.

4

Our story: ADR reported and analyzed with PhPID


On the horizon



Our story: ADR reported and analyzed with PhPID

The hidden problem

Many substance variants ← One substance → Many products with many formulations



- Different products, different risks
- Lack of standards for capturing this information
- Current analysis aggregates all
- Might hide specific safety signals

Our story: ADR reported and analyzed with PhPID


User Scenario for PhPID



After receiving a case report linking dexamethasone to cataract, a pharmacovigilance assessor at a national centre, needs to be able to aggregate all reports that are related to an active moiety, regardless of salt variation but in a specific form or strength, then logs into PV system to explore whether this might reflect a broader pattern

Our story: ADR reported and analyzed with PhPID

A case study on dexamethasone



Our story: ADR reported and analyzed with PhPID

User Scenario for PhPID in a PV analysis tool*




Pharmacovigilance assessor
continues to explore and
focuses on dose form and
dose form attributes


*exemplified by UMCs Vigilize application

Our story: ADR reported and analyzed with PhPID


What Lina could find




She opens the **Qualitative tab** and first searches for **Dexamethasone**.




Lina then narrows the search by adding **Cataract** as the reaction PT term.



She switches to the **Disproportionality** sub-tab, where IC values are shown by default at the **substance level**.



She clicks a dropdown “By Dose Form Attribute” and selects “Intended Site.”
The IC values recalculate, now split by administration site:



PhPID value to Pharmacovigilance



Using extra information such as form or route in statistical signal detection could help us **detect specific safety concerns** and reveal **clearer pictures of the medicines safety profiles**.

In other words, **if PhPIDs were to be used** for reporting of adverse events, it would **add value to Pharmacovigilance**

IDMP landscape

The voice of the pharmaceutical industry in the global IDMP/PhPID ecosystem



Global IDMP Working Group

- **Launched in 2021** — outcome of the 2019 WHO IDMP Workshop (Geneva)
- **Why?**
No global body was demonstrating real-world IDMP implementation.
- **Our Focus:**
Deliver projects proving IDMP is *globally implementable*

Build a practical framework: business rules, best practices, and operating model
Support global use of IDMP identifiers for marketed products



GIDWG Member Organizations



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH



Agência Nacional de
Vigilância Sanitária



COMISION FEDERAL PARA LA PROTECCION
CONTRA RIESGOS SANITARIOS



MINISTERIO DE
SALUD



Health
Canada

Santé
Canada



สำนักงานคณะกรรมการอาหารและยา
Food and Drug Administration



MHRA
Regulating Medicines and Medical Devices

SWISSmedic

Observer

PMDA

独立行政法人 医薬品医療機器総合機構
Pharmaceuticals and Medical Devices Agency

D M P
Norwegian Medical
Products Agency

PhPID Journey – Global PhPID Service goes live

Go-live

Proof of Concept

Testing

Pre- Production

GIDWVG Launch

Production Business Rules

Q1 2026

Q1 2025


2021

“Dose form pilot”




2020

“Feasibility Study Project”




2023



2022–2023
“GIDWVG Project”



2024



“End-to-End testing Project”


PhPID adoption



Datasets on prioritized substances* from 16 countries

PhPID Journey – Global PhPID Service Go-Live

Dataset for marketed medicinal products linked to GSID and Pre-production Global PhPIDs, linked to Local National Medicinal Product IDs released for 16 countries for adoption by March 2026



Medicinal Product Name	Drug Code	Active Ingredient(s)	ATC	WHODrug MPID	Authorization Country	MAH	Dose Form ①	Strength (Reference Strength)	PhPID	PhPID Level
Dexamethasone	00016002023	Dexamethasone sodium phosphate	D07AB, Corticosteroids, moderately potent (group II)	4751756	United Kingdom of Great Britain and Northern Ireland	Panpharma Ltd	Solution	4.37 mg/mL (3.32 mg/mL)	EAB80324942E304AE87A8F053485D7F4	4
Dexamethasone	00016002023	Dexamethasone sodium phosphate	H02AB, Glucocorticoids	5608449	United Kingdom of Great Britain and Northern Ireland	<div>1 BDA1509CA47A20E648284C4F29974B6E</div> <div>2 7F86BA37C8AFB6BA3F98D095459663AC</div> <div>3 3F01847C0DAC4E3BE3C3FB410458FB5</div> <div>4 11810EF06F78C9F7A6F46512531D9174</div>			11810EF06F78C9F7A6F46512531D9174	4
Dexamethasone	00016002023	Dexamethasone sodium phosphate	H02AB, Glucocorticoids	5608608	United Kingdom of Great Britain and Northern Ireland	Glenmark Generics Ltd.	Solution	10.53 mg (8 mg)	6A0B03942E6250CFF43DDABFE04946AB	4
Monopex	00016002264	Dexamethasone sodium phosphate	H02AB, Glucocorticoids	5926070	Norway	Laboratoires Thera	Solution	1 mg/mL (0.76 mg/mL)	ABAAS8D0C21F3C8927C8D4B397980352	4
									F89052D7167DF973631	4



PhPID Journey – How did we get there?

**Proof of
Concept**

Testing

Pre- Production

2021

“Dose form pilot”




2020

**“Feasibility Study
Project”**




PhPID Journey – How did we get there?

US FDA/UMC pilot for Global PHPIDs: feasibility of using EDQM dose form attributes for mapping to regional terminologies



Mapping of regional terminologies to EDQM PDF



The pilot validated 1,289 US marketed medicinal products corresponding to 37 selected substances identified in the UNICOM pilot product list.



Global dose form attributes

Basic dose form
Intended site
Administration method
Release characteristics

PhPID Journey – How did we get there?

US FDA/UMC pilot for Global PHPIDs: feasibility of using EDQM dose form attributes for mapping to regional terminologies

RESULTS

- A centrally maintained (EDQM) set of dose form attributes is a viable solution for global IDMP
- Regulatory authorities can continue to use their local dose form terminology
- Mapping between local dose form terminology and dose form attributes done by UMC as part of generation of Global PhPID

US FDA/UMC pilot



Global dose form attributes

Basic dose form
Intended site
Administration
method
Release
characteristics

PhPID Journey – How did we get there?



Proof of
Concept

Testing

Pre- Production

GIDWG Launch



2023




2021

“Dose form pilot”



2020

“Feasibility Study
Project”



2022–2023
“GIDWG Project”

PhPID Journey – How did we get there?



Proof of
Concept

Testing


Pre- Production

GIDWG Launch


2021
“Dose form pilot”



2020
“Feasibility Study
Project”




2023



2022–2023
“GIDWG Project”


GIDWG projects

Aim to define and reach consensus on processes, best practices and an operating model for maintenance of global identifiers for marketed medicinal products




SMEs from US FDA, EMA, ANVISA, Health Canada, Swissmedic, UMC, WHO-PVG, EDQM, WHO-INN, USP, HL7, HMA-SVG, US-NIH, IFPMA, ISO/CEN, USP

PhPID assignment




Data validation





Global dose form attributes

- Basic dose form
- Intended site
- Administration method
- Release characteristics




GSID assignment




- GSID assignment based on ISO 11238 and ISO/TS19844
- UMC-SRS is used for assigning GSID
- Business rules to govern which GSID that should be used for PhPID

Units of measurements and strength



- UCUM units are used as a foundation
- Non-UCUM units are used when appropriate
- Business rules for conversion of units
- Business rules for strength expression based on product type are used to increase consistency

Dose form



- No centralized/common terminology for Dose Form is used globally
 - Differences in granularity
 - Regulators approve different terms for the same form
- The global dose form attributes are used to express the PhPID dose form in a consistent way

PhPID Journey – How did we get there?



Proof of
Concept

Testing

Pre- Production

GIDWVG Launch


2021

“Dose form pilot”



2020

“Feasibility Study
Project”




2023



2022–2023
“GIDWVG Project”



2024



“End-to-End testing
Project”

PhPID Journey – How did we get there?

Global PhPID Service Operating Model End-to-End Testing

PURPOSE:

Testing framework, including business rules, best practices, software and operating model, for the global IDMP implementation and maintenance of global identifiers for marketed products.



SCOPE included both load and stress testing:

- Selected Substances Dataset (150 substances: 345 records including substance variations)
- EDQM + non-EDQM countries
- Similar products from different countries
- Testing of Pharmacovigilance, Drug Shortages and Cross-border Healthcare use cases

STATUS: concluded

SUCCESS RATE: ~90% of medicinal products processed successfully


DELIVERABLE: Robust Global PhPID Operating Model



GIDWG

PhPID Journey – How did we get there?

Readiness after End-to-End Testing



PhPID Journey – How did we get there?

Global PhPID Service Operating Model

Step 1
Global IDs Requesting

Welcome to the Global PhPID Request service!

The Pharmaceutical Product Identifier (PhPID) is defined by one of the five ISO standards for identification of Medicinal Products (DMP), which aims to increase clarity and efficiency in communications about medicines globally. PhPIDs are created based on the product information for substances, strengths, and dose forms. Some additional information, e.g. country and market authorization holder, are also needed for validation purposes.

In this service you will find two options for requesting PhPIDs for Pharmaceutical Products. Either to complete the form per product via the Single PhPID Request option.

Step 2
Global IDs Assignment

The flowchart illustrates the process of assigning a PhPID level. It starts with 'Medicinal Product Data Submission' leading to 'Data Validation'. From there, it branches into 'Single PhPID' and 'Batch PhPID'. Both paths lead to 'PhPID Level' assignment, which is then stored in the 'PhPID repository'.

Step 3 Global IDs are provided in different formats

IDMP Search in WHODrug Insight: Global PhPID linked to Medicinal Products


Medicinal Product Name	Drug Code	Active Ingredient(s)	ATC	WHODrug MPID	Authorization Country	MAH	Dose Form	Strength (Reference Strength)	PhPID	PhPID Level
Doxorubicin hydrochloride	0033090201	Doxorubicin hydrochloride	L01DB	5378108	United States of America	Amgen Pharmaceuticals	Solution	50.00 mg (46.86 mg) per Vial	000C61A4B3B80D104160A49B8CFCD	4

New PhPID is sent to the person requesting it

PhPID Publisher: Global PhPID dedicated repository

Global PhPID Publish

Level	PhPID	GSD	Substance	Strength (Reference Strength)	Basic Dose Form	Administration Method	Intended Site	Release Characteristics
1	000C61A4B3B80D104160A49B8CFCD	0033090201	Doxorubicin hydrochloride	50.00 mg (46.86 mg) per Vial	Suspension	Oral	Conventional	




PhPID Journey – How did we get there?

Technical readiness



SYSTEM TESTING



**BACKUP AND
RECOVERY**



INFRASTRUCTURE



**SECURITY AND
MONITORING**




**CONFIGURATION
MANAGEMENT**



**INTEGRATION
READINESS:**
INTERFACES WITH
THIRD-PARTY
SYSTEMS, APIS, AND
OTHER OPTIONS
ARE STILL UNDER
DEVELOPMENT.

PhPID Journey – How did we get there?

Operational readiness



PhPID Journey – How did we get there?



Proof of
Concept

Testing

Pre- Production

GIDWGW Launch

Production Business
Rules approved

2023

2024

Q4 2024




2021

“Dose form pilot”




2020

“Feasibility Study
Project”



2022–2023
“GIDWGW Project”



“End-to-End testing Project”

PhPID Journey – How did we get there?

Business rules for Global PhPID construction approved



Business Rules for Global PhPID Construction Global IDMP Working Group

Version 1.0
Status Final
Dissemination level GIDWG
Authors UMC
Date May 1, 2025

Glossary of terms, definitions, and abbreviations.....	3
2. Scope.....	6
3. Background.....	6
3.1 Background on Global Substance Identifier (GSID).....	7
3.2 Background on Dose Form Identifier (DFID).....	8
3.3 Background on Strength Definition Identifier (SDID).....	8
4. PhPID generation.....	8
5. Business rules.....	9
5.1 Business rules for assigning GSID to PhPID.....	9
5.2 Business rules for assigning dose form characteristics to Global PhPID.....	11
5.2.1 Business rules for assigning basic dose form characteristics.....	11
5.2.2 Business rules for assigning administration method characteristics.....	12
5.2.3 Business rules for assigning intended site characteristics.....	13
5.2.4 Business rules for assigning release characteristics.....	14
5.3 Business rules for generating global Strength Definition Identifiers (SDID) for PhPID.....	15
5.3.1 Business rules on numerical values for strength expression.....	16
5.3.2 Business rules on standardised units for strength expression.....	16
5.3.3 Concatenated pattern framework for strength expression.....	17
5.3.4 Specific business rules on strength expression.....	19
6. References.....	20

GIDWG Business Rules for Global PhPID Construction – version 1.0



The flow chart in Figure 10 illustrates strength pattern assignment for different parenteral preparations:




Figure 10. Illustrates strength pattern assignment

2. When the ManDF is different from the AdmDF, the BDF is manually changed from the ManBDF to the AdmBDF (examples in Table 10). For a product example of how dose forms can differ between regions as well change from ManBDF to AdmBDF, see Table 11.

Table 10. Examples of business rules for PDFs with different AdmDF and ManDF					
Medicinal product name	ManDF	AdmDF	ManBDF	AdmBDF	Harmonised AdmBDF for PhPID
Hyaluronidase	Powder for solution for infusion	Solution for infusion	Powder	Solution	Solution
Deferasirox*	Dispersible tablet	Oral suspension	Tablet	Suspension	Suspension For tablets that are always dispersed before being taken, the BDF will be "Suspension"
Lamictal® (Lamotrigine)	Chewable/dispersible tablet	Chewable tablet Oral suspension	Tablet	Tablet Suspension	Tablet For tablets that can be swallowed and taken as a solution/suspension, the BDF will be "Tablet"
Berocca®	Effervescent (chewable) tablet	Oral solution	Tablet	Solution	Solution

Table 11. Examples of business rules for PDFs with different AdmDF and ManDF, and same product expressed differently in different regions						
Medicinal product name	Country	ManDF	AdmDF	ManBDF	AdmBDF	Harmonised AdmBDF for PhPID
Zithromax® (azithromycin)	UK	Powder for oral suspension	Oral suspension	Powder	Suspension	Suspension
	Korea	Dry syrup	Syrup	Powder	Syrup	
	USA	For oral suspension	Oral suspension	Powder	Suspension	

PhPID Journey – Next steps?



Proof of
Concept

Testing

Pre- Production

GIDWVG Launch

Production Business
Rules approved

2023

2024

Q4 2024



2021

“Dose form pilot”




2020

“Feasibility Study
Project”



2022–2023
“GIDWVG Project”



“End-to-End testing Project”


PhPID adoption



Datasets on prioritized
substances* from 16 countries

PhPID Journey – How did we get there?

Pre-production PhPID Adoption initiative




The 2025 'pre-production' Global PhPIDs, assigned using production business rules, will be available as preparation for adoption.

*The prioritized substance sets used for selection of a Medicinal Product data set from US FDA ARMI Essential Medicines List, EMA List of Critical Medicines, 200 most reported substances within PV and WHO Essential Medicines List

Q2 2027 – TBC

PhPID Journey – How did we get there?


GIDWG Work in a new format



PhPID Journey – How did we get there?

Our work: GIDWG Focus Groups goals and key deliverables for 2025


Analyse GIDWG-approved Global PhPID Assignment Business Rules from use cases' perspective to use as **INPUT** into Implementation Guide to facilitate Global Pre-production PhPID Adoption.




UMC's role



Act as ambassador and collaborator



Provide Global PhPID and GSID



Link Global PhPID, GSID, and medicinal products via WHODrug Global

Global PhPID and connection to medicinal products

Pharmaceutical products

Medicinal products

Dexamethasone
Sodium phosphate

1 mg/mL
Dexamethasone
Sodium phosphate

Solution
Dexamethasone
Sodium phosphate

Solution, 1 mg/mL
Dexamethasone
Sodium phosphate

GSID from
UMC-SRS

Substance

Substance

Substance

Substance

Strength

Dose form

Strength

Dose form

Substance

Dose form

Strength

MAH

Trade name

Country of Sales

DEXAWELL
Eye/Ear Drops

Wellona Pharma



PhPID level 1

PhPID level 2

PhPID level 3

PhPID level 4

WHODrug

National MPID

E.g. NDC, PMS

code


PhPID Journey – Next steps?

UMC needs to maintain license agreements with main stakeholders

For coding and analysis of ICSRs and clinical trial data. License with no cost for regulatory authorities.

For additional national and regional use cases. License with no cost for regulatory authorities and #national health care sector”

No additional cost for commercial parties on top of their WHODrug license.




PhPID Journey – Next steps?

GIDWG Goals: providing support for

- Demonstrating that the IDMP standards are “fit” for global implementation
- IDMP use cases implementation and operationalization
- Production Global PhPIDs Roll-outs
- Development of the ISO IDMP standards


- Piloting Production Global PhPIDs for use cases
- Production Global PhPIDs 2nd Roll-out
- Business Rules revision process
- Engaging stakeholders in GIDWG work

- Global PhPID Implementation Guide development
- Global PhPIDs 1st Roll-out
- Business Rules revision process




PhPID Journey – Next steps?

Are there new use cases?



Follow us on GIDWG website!

- www.gidwg.org

















Online - IDMP training course

<https://idmpinfo.who-umc.org/training/index.html#/>



THEORY

-  1. Why do we need global identifiers? 
-  2. What is the purpose of ISO Identification of Medicinal Product standards? 
-  3. How will pharmaceutical product identification link medicines globally? 
-  4. How are the ISO standards used for generation of pharmaceutical product identifiers? 
-  5. How will pharmaceutical product identifiers be generated? 
-  6. What steps does one need to consider when implementing these standards? 
-  7. Summary 

FREQUENTLY ASKED QUESTIONS

-  FAQs 

5th Global Identification Working Group (GIDWG) Technical and Stakeholders Meetings

EMA building, Amsterdam, 1-3
October 2025

Presented by

Isabel Chicharo (I-CS-RDM)






Table of contents

1 IDMP Journey

2 Medicinal Products & PMS

3 PHPID

IDMP implementation in EU



- IDMP implementation legal basis
- Phased implementation programme
- Extensive guidance and change management for Stakeholders
- Most regulatory processes throughout the product lifecycle are using data from SMS, OMS, RMS – PMS (IDMP) product data is also in use

Product Management Service (PMS) Vision




Product Management Service (PMS) is a ISO IDMP-compatible database that **consolidates investigational, authorised and registered human medicinal products** across the European Union.

PMS data is available to regulators, industry and the general public to **support regulatory and non-regulatory procedures** as well as **public consultation of data**, ensuring data accuracy, transparency, standardisation and accessibility.



Key changes



Enriched data set in ISO IDMP-compliant structure



Integrated data journey through regulatory procedures



Trustworthy and quality data in one single source

PMS implementation approach and status


Guidance

Guidance to users

Ensure data can be **shared, combined, exchanged, and understood** by different users:

- **ISO IDMP standards** – description and identification of medicinal products
- **HL7 FHIR standard** – messaging/ exchange standard
- **EU IDMP Implementation Guide** – basis for submitting and exchanging medicinal product data in the EU.

Implementation



- Up to now: migrate/transform/consolidate product data -> use/integrate it in processes
- Current focus: analyse and improve Data quality
- Future looking: look outside regulatory use cases – EHDS opportunity in EU, value of Global implementations

What is available to use?



What we have in place

- **Product User Interface (PUI)**
 - **Public**/NCAs/Industry can search and browse all authorised medicinal product data - [here](#)
 - Industry/NCAs can use BI reports and exports - [here](#)
 - Industry can edit manufacturers and structured pack sizes data for single or multiple non-CAP products - [here](#)
- **PMS (FHIR) Application Programming Interface (PMS API)**
 - NCAs/Industry can search and browse medicinal product data
 - Industry can edit manufacturers and structured pack sizes data for their non-CAP products



What we are working on





- **Product User Interface (PUI)**
 - Export of the **public** dynamic report for general Public - [here](#) - **Q1 2026**
- **PMS (FHIR) Application Programming Interface (PMS API)**
 - PMS **Public** API so anyone that can search and browse public medicinal product data - **Q1 2026**



What is next


- › **PMS API FHIR R5 upgrade (read/write)** – needed for technical alignment to latest FHIR version
- › **PMS API - Full write API for MAHs** – needed to complete/maintain all product data
- › *Not yet planned - FHIR Tasks/PHPID/push model*

For EU... Why PHPID?



Shortages and PHPID

Analysis of supply and demand data of each medicine on **increasingly granular aggregation levels**:



* **Pharmaceutical form group** - Manual grouping of interchangeable pharmaceutical dose forms based on the business needs.

- Alignment with Global PHPID at higher levels
- Need for variants and additional PHPID levels to address the needs of shortages
- Differences across PHV and shortages implementation
- Multiple “PHPID sets” can coexist, they serve and are used in different context

Thank you



Closing Remarks

Isabel Chicharo

EMA

Our conclusions

- Increased outreach
- Valuable platform for lessons learned and alignment
- PhPID and global IDMP Implementation
 - Global PhPID Service Go-live
 - What does Go-live mean to you
- How do we envisage PhPID to be used in future – what are the use cases/opportunities/benefits
 - PHV
 - Drug Shortages
 - Cross-border Healthcare
 - Regulatory
- The future



Thank you for your work on IDMP!